

2019 In Stock Catalog



136 Hillview Blvd
Hendersonville, NC 28792
P: 833-437-8783
E: support@trueflame.com





Table of Contents

Category	Page
Round GFRC Fire Bowls	3
Square Fire Bowls	4
Fireglass	5
Stainless Burners	6
Drop In Burner Pans	7
Flat Pan Burners	9
Pan Covers	10
Octo Burners	12



Fire Pits

Fire Bowls



SKU	Description
TF-GFRC-FBGR-30	Grey GFRC with Stainless Steel pan and burner
TF-GFRC-FBSN-30	Sand GFRC with Stainless Steel pan and burner
TF-GFRC-FBBR-30	Brown GFRC with Stainless Steel pan and burner

Material: Glass fiber reinforced concrete (GFRC).
Burner: Stainless steel ring burner.
Fuel Type: Natural Gas or LP
Ignition System: Match Throw Key Valve
Maximum Output: 75 K BTUs.
Size: 30" x 30" x 12.6" high.

*Optional electronic ignitions available.
 *A conversion kit is required for propane.

Fire and Water Bowls



SKU	Description
TF-GFRC-FWBGR-30	Grey GFRC with Stainless Steel pan, burner, scupper
TF-GFRC-FWBSN-30	Sand GFRC with Stainless Steel pan, burner, scupper
TF-GFRC-FWBGR-30	Brown GFRC with Stainless Steel pan, burner, scupper

Material: Glass fiber reinforced concrete (GFRC).
Burner: Stainless steel ring burner.
Fuel Type: Natural Gas or LP
Ignition System: Match Throw Key Valve
Maximum Output: 75 K BTUs.
Size: 30" x 30" x 12.6" high.

*Optional electronic ignitions available.
 *A conversion kit is required for propane.



Shown in Grey. Also available in Sand and Brown





Lavelle Square High Rise Fire Bowl - Brushed Stainless Steel Finish



SKU	Description
TF-FBL-LAV-SS-18-H	18" Square 8" high stainless steel Lavelle Fire Bowl with 12" double ring burner. 1/2" NPT inlet. 75 K BTU Max
TF-FBL-LAV-SS-24-H	24" Square 10" high stainless steel Lavelle Fire Bowl with 18" double ring burner. 1/2" NPT inlet. 75 K BTU Max

Pan Material: 18 gauge 304 stainless steel.
Burner Material: 19 gauge 304 stainless steel.
Fuel Type: Natural gas or LP
Packing: Individually boxed.

*For use in a fully ventilated fireplace or standalone exterior application only.
 *A safety ignition system is required for all indoor propane applications.
 *A conversion kit is required for propane

Lavelle Square High Rise Fire Bowl - Oil Rubbed Bronze Finish



SKU	Description
TF-FBL-LAV-ORB- 18-H	18" Square 8" high oil rubbed bronze Lavelle Fire Bowl with 12" double ring burner. 1/2" NPT inlet. 75 K BTU Max
TF-FBL-LAV-ORB- 24-H	24" Square 10" high oil rubbed bronze Lavelle Fire Bowl with 18" double ring burner. 1/2" NPT inlet. 75 K BTU Max

Pan Material: 18 gauge 304 stainless steel.
Burner Material: 19 gauge 304 stainless steel.
Fuel Type: Natural gas or LP
Packing: Individually boxed.

*For use in a fully ventilated fireplace or standalone exterior application only.
 *A safety ignition system is required for all indoor propane applications.
 *A conversion kit is required for propane



Oil Rubbed Bronze



Brushed Stainless Steel





1/2" Reflective Fireglass



1/2" Cobalt Reflective

SKU

TF-RFG-12-BJ



1/2" Bronze Reflective

SKU

TF-RFG-12-MC



1/2" Emerald Reflective

SKU

TF-RFG-12-FT



1/2" Copper Reflective

SKU

TF-RFG-12-RM



1/2" Black Reflective

SKU

TF-RFG-12-OX



1/2" Titanium Reflective

SKU

TF-RFG-12-DI



1/2" Sapphire Reflective

SKU

TF-RFG-12-SY



1/2" White Gold Reflective

SKU

TF-RFG-12-WG



1/2" Storm Grey Reflective

SKU

TF-RFG-12-SG

All colors are packed 10 lbs per jar with convenient carry handle.



Fire Burners



H Style Stainless Steel Burner

SKU	Description	BTU
TF-HB-SS-12	12" x 6" Stainless Steel H-Type Burner.	48K Max
TF-HB-SS-18	18" x 6" Stainless Steel H-Type Burner.	60K Max
TF-HB-SS-24	24" x 6" Stainless Steel H-Type Burner.	90K Max

Material: 19 gauge 304 stainless steel.

Fuel Type: Natural gas or propane.

Packing: Individually boxed. 6 per master carton.

*conversion kit is required for propane.

*safety ignition system is required for all LP indoor applications.



4 Spoke Stainless Steel Ring Burner

SKU	Description	BTU
TF-RB-4D-SS-12	12" Double Ring Burner. 1/2" NPT inlet. Includes plug and allen wrench.	92K Max
TF-RB-4D-SS-18	18" Double Ring Burner. 1/2" NPT inlet. Includes plug and allen wrench.	147K Max
TF-RB-4D-SS-24	24" Double Ring Burner. 1/2" NPT inlet. Includes plug & allen wrench.	296K Max
TF-RB-4T-SS-30	30" Triple Ring Burner. 3/4" NPT inlet. Includes 3/4" to 1/2" adapter, plug, and allen wrench.	435K Max
TF-RB-4T-SS-36	36" Triple Ring Burner. 3/4" NPT inlet. Includes 3/4" to 1/2" adapter, plug, and allen wrench.	443K Max

Material: 19 gauge 304 stainless steel.

Fuel Type: Natural gas or LP

Packing: Individually boxed. 6 per master carton.

*conversion kit is required for propane.





T Style Burner

Material: 19 gauge 304 stainless steel.


Fuel Type: Natural gas or LP.

Packing: Individually boxed.
6 per master carton.

SKU	Description	BTU
TB-SS-24	24" Stainless Steel Straight Type Burner.	48K Max
TB-SS-30	30" Stainless Steel Straight Type Burner.	72K Max
TB-SS-36	36" Stainless Steel Straight Type Burner.	90K Max
TB-SS-48	48" Stainless Steel Straight Type Burner.	117K Max
TB-SS-60	60" Stainless Steel Straight Type Burner.	147K Max

Drop In fire Pit Pan Burners

Square Drop in Pan Burner



SKU	Description	BTU
TF-DIP-SQU-18	18" square drop in pan with 12" double ring burner. 1/2" NPT inlet.	92 K Max
TF-DIP-SQU-24	24" square drop in pan with 18" double ring burner. 1/2" NPT inlet.	147 K Max
TF-DIP-SQU-30	30" square drop in pan with 24" double ring burner. 1/2" NPT inlet.	296 K Max

*Optional electronic ignitions available.

*A conversion kit is required for propane.

Pan Material: 18 gauge 304 stainless steel.

Burner Material: 19 gauge 304 stainless steel.

Fuel Type: Natural gas or LP

Packing: Individually boxed.
6 per master carton.





Round Drop in Pan Burner



Pan Material: 18 gauge 304 stainless steel.
Burner Material: 19 gauge 304 stainless steel.
Fuel Type: Natural gas or LP
Packing: Individually boxed.
 6 per master carton.

SKU	Description	BTU
TF-DIP-RND-19	19" round drop in pan with 12" double ring burner. 1/2" NPT inlet.	92 K Max
TF-DIP-RND-25	25" round drop in pan with 18" double ring burner. 1/2" NPT inlet.	147 K Max
TF-DIP-RND-31	31" round drop in pan with 24" double ring burner. 1/2" NPT inlet.	296 K Max

*Optional electronic ignitions available.
 *A conversion kit is required for propane.

Linear Drop in Pan Burner



Pan Material: 16 gauge 304 stainless steel.
Burner Material: 19 gauge 304 stainless steel.
Fuel Type: Natural gas or propane.
Packing: Individually boxed.
 6 per master carton.

SKU	Description	BTU
TF-DIP-LN-30	30" x 6" linear drop in pan with T burner. 1/2" NPT inlet.	54 K Max
TF-DIP-LN-36	36" x 6" linear drop in pan with T burner. 1/2" NPT inlet.	65 K Max
TF-DIP-LN-48	48" x 6" linear drop in pan with T burner. 1/2" NPT inlet.	91 K Max
TF-DIP-LN-60	60" x 6" linear drop in pan with T burner. 1/2" NPT inlet.	108 K Max

*Optional electronic ignitions available.
 *A conversion kit is required for propane.



Flat Fire Pit Pan Burners

Rectangle Flat Pan Burner




SKU	Description	BTU
TF-FLP-REC-30	30" x 10" rectangle flat pan with H burner. 1/2" NPT inlet.	88 K Max
TF-FLP-REC-36	36" x 12" rectangle flat pan with H burner. 1/2" NPT inlet.	88 K Max
TF-FLP-REC-48	48" x 14" rectangle flat pan with H burner. 1/2" NPT inlet.	88 K Max

*Optional electronic ignitions available.
 *A conversion kit is required for propane.

Pan Material: 18 gauge 304 stainless steel.
Burner Material: 19 gauge 304 stainless steel.
Fuel Type: Natural gas or propane.
Packing: Individually boxed.
 6 per master carton.

Square Flat Pan Burner



SKU	Description	BTU
TF-FLP-SQU-12	12" square flat pan with 6" single ring burner. 1/2" NPT inlet.	88 K Max
TF-FLP-SQU-18	18" square flat pan with 12" double ring burner. 1/2" NPT inlet.	92 K Max
TF-FLP-SQU-24	24" square flat pan with 18" double ring burner. 1/2" NPT inlet.	147 K Max
TF-FLP-SQU-30	30" square flat pan with 24" double ring burner. 1/2" NPT inlet.	296 K Max
TF-FLP-SQU-36	36" square flat pan with 30" triple ring burner. 3/4" NPT inlet.	443 K Max

*Optional electronic ignitions available.
 *A conversion kit is required for propane.

Pan Material: 18 gauge 304 stainless steel.
Burner Material: 19 gauge 304 stainless steel.
Fuel Type: Natural gas or propane.
Packing: Individually boxed.
 6 per master carton.





Round Flat Pan Burner



SKU	Description	BTU
TF-FLP-RND-18	18" round flat pan with 12" double ring burner. 1/2" NPT inlet.	92 K Max
TF-FLP-RND-24	24" round flat pan with 18" double ring burner. 1/2" NPT inlet.	147 K Max
TF-FLP-RND-30	30" round flat pan with 24" double ring burner. 1/2" NPT inlet.	296 K Max
TF-FLP-RND-36	36" round flat pan with 30" triple ring burner. 3/4" NPT inlet.	443 K Max

Pan Material: 18 gauge 304 stainless steel.
Burner Material: 19 gauge 304 stainless steel.
Fuel Type: Natural gas or LP
Packing: Individually boxed.
 6 per master carton.

*Optional electronic ignitions available.
 *A conversion kit is required for propane

Pan Covers

Rectangle Pan Covers



SKU	Description
TF-CVR-REC-33	33" x 13" rectangle cover- fits 30" rectangle drop in or flat pan.
TF-CVR-REC-39	39" x 15" rectangle cover - fits 36" rectangle drop in or flat pan.
TF-CVR-REC-51	51" x 17" rectangle cover - fits 48" rectangle drop in or flat pan.

Material: 18 gauge 304 stainless steel.
Packing: Individually boxed. 6 per master carton.

Linear Pan Covers




SKU	Description
TF-CVR-LIN-33	33" x 9" linear cover - fits 30" linear drop in or flat pan.
TF-CVR-LIN-39	39" x 9" linear cover - fits 36" linear drop in or flat pan.
TF-CVR-LIN-51	51" x 9" linear cover - fits 48" linear drop in or flat pan.

Material: 18 gauge 304 stainless steel.
Packing: Individually boxed. 6 per master carton.





Square Pan Covers



SKU	Description
TF-CVR-SQU-21	21" square cover - fits 18" square drop in or flat pan.
TF-CVR-SQU-27	27" square cover - fits 24" square drop in or flat pan.
TF-CVR-SQU-33	33" square cover - fits 30" square drop in or flat pan.
TF-CVR-SQU-39	39" square cover - fits 36" square drop in or flat pan.

Material: 18 gauge 304 stainless steel.

Packing: Individually boxed.

6 per master carton.

Round Pan Covers



SKU	Description
TF-CVR- RND-22	22" round cover - fits 19" round drop in and 18" flat pan.
TF-CVR- RND-28	28" round cover - fits 25" round drop in and 24" flat pan.
TF-CVR- RND-34	34" round cover - fits 31" round drop in and 30" flat pan.

Material: 18 gauge 304 stainless steel.

Packing: Individually boxed.

6 per master carton.

Octo Burner



Material: 19 gauge 304 stainless steel.

Fuel Type: Natural gas or LP

Packing: Individually boxed. 6 per master carton.

SKU	Description	BTU
TF-SS-FBO-12	12" Octo Burner. 1/2" NPT inlet. Includes plug and allen wrench.	48 K Max
TF-SS-FBO-18	18" Octo Burner. Burner. 1/2" NPT inlet. Includes plug and allen wrench.	92 K Max
TF-SS-FBO-24	24" Octo Burner. Burner. 1/2" NPT inlet. Includes plug & allen wrench.	147 K Max
TF-SS-FBO-30	30" Octo Burner. Burner. 1/2" NPT inlet. Includes plug & allen wrench.	296 K Max
TF-SS-FBO-36	36" Octo Burner 1/2" NPT inlet. Includes plug & allen wrench.	435 K Max
TF-SS-FBO-48	48" Octo Burner 1/2" NPT inlet. Includes plug & allen wrench.	443 K Max

* Optional electronic ignition

* A conversion kit is required for propane.



Ask your representative about our display program.

136 Hillview Blvd. Hendersonville NC 28792

P: 833-437-8783 F: 888-559-3612

E: Support@trueflame.com W: www.trueflame.com

